



[www.nileshalumino.com](http://www.nileshalumino.com)



**Corporate Office / Showroom :**  
11/2, Samrat Silk Mill Compound,  
L.B.S Marg, Vikhroli (W),  
Mumbai- 400079. INDIA  
Tel : +91 22 25777594 / 49701902  
Email : [nileshalumino@rediffmail.com](mailto:nileshalumino@rediffmail.com)

**Manufacturing Unit :**  
A7, Unit No 1, Babosa Industrial Park,  
Saravali Village, Next to Kamal Motors,  
Mumbai-Nasik Highway (NH3),  
Bhiwandi- 421302.



VISION

To be acknowledged as a leader and the Brand of choice for aluminum profile industry in India.

Our vision and company values reflect our capabilities and aspirations and the unique properties of the products that we make.

Our future lies in the continually reinforcing the value proposition we offer to our customers and the commitments we've made to our co-workers, the environment and the communities in which we operate.

**Mission**  
Alumino's mission is to build a reputation of providing innovative quality products and services, ensuring customer satisfaction and loyalty while building enduring partnerships.

ADVANTAGES

**Economical**  
Low thermal conductivity, ALUMINO windows are designed to minimize the electrical loss

**Airtight**  
Excellence of ALUMINO windows can be proven by the high degree of air tightness due to its inbuilt punching system.

**Chemical Resistant**  
Best suited to use in the coastal areas and industrial complexes because it is not corroded or transformed by the sea breeze, salt, noxious gas and acid rain.

**Watertight**  
ALUMINO windows are outstanding for water tightness so it is much safer from heavy rains.

**Soundproof**  
Though maximizing the soundproof effect with an excellent profile design, Alumino doors & windows thoroughly absorb sounds of traffic, airport and construction sites.

**Wind Load**  
In many cases breakage of windows is the result of low quality material. Therefore, while choosing a window manufacturer, it is strongly recommended to verify the supplier's technical capability, history & reputation to secure the safety.

**Durable**  
ALUMINO doors and windows do not shrink and expand with extreme change of weather in summer and winter seasons as they are manufactured out of specially processed and homogenized aluminum inverts and billets.

**Smooth**  
ALUMINO windows are so designed that it overcomes all the weakness of rigidity and noise while opening and closing operations.



Quality Compliant



Water Proof



Weather Proof



Termite Proof



Corrosion Proof



Durable



Sound Proof

CLIENT LIST  
SOME OF OUR PRESTIGIOUS CLIENTS

- OLIVE SPACE**  
Olive Healthcare, Daman
- RELIANCE ENGINEERING ASSO. PVT LTD**  
Reliance, Ghansoli, Navi Mumbai
- GODREJ & BOYCE MFG. CO. LTD.**  
Godrej, Vikroli
- VEDANTAA HOSPITAL & RESEARCH CENTER**  
Dahanu
- DAMJI SHAMJI GROUP**  
Anubhav Villa, Ghatkoper
- KABRA BUILDERS**  
Santacruz & Thane
- VVA RELATORS PVT LTD**  
Parijat, Dadar
- SATYAM CONCAT PVT LTD**  
Satyam residency, Ulva
- DEEP ASSOCIATES**  
Siddh Darshan, Ghatkoper
- PREM DEVELOPER**  
Prem Pride, Kamothe
- K. K. GROUP**  
K. K. Residency, Ghatkoper
- GEECY DEVELOPERS**  
Parmeshwari Plaza, Mulund
- AMAR CONSTRUCTION**  
Holly Cross School, Kalyan
- VERSATILE GROUP**  
Versatile Vally, Dombivali
- VEEKAY DEVELOPERS**  
Prerana, Borivali
- PUNE VIDYARTHI BHAVAN**  
Pune Vidyarthi Bhavan, Ghatkoper
- QUICK BULIDERS**  
Pune University
- AASHRAY PROPERTIES**  
Vikhroli

PROJECTS



Park Vision



Vision Eternity



Jaswanti Landmark



Congo, Africa



Parijat, Dadar



Satyam Residency, Ulwe



Prerna, Borivali



Olive Healthcare, Daman



Vedantaa Hospital & Research Center

WE ARE MANUFACTURER OF STRUCTURAL GLAZING & ACP CLADING AND SPIDER FITTING

INTEGRITY | EXCELLENCE | PASSION | FUTURISTIC | INNOVATION



OUR STATE OF THE ART MANUFACTURE FACILITY EQUIPPED ITALIAN MACHINE



CERTIFICATE OF APPRECIATION FROM OUR CLIENTS



- ▶ Wide range of options in form of 2 /3 / 4 shutter.
- ▶ Wide colour options in form of Powder coating, Colour anodizing, PVDF coating. Wood finish available.
- ▶ Flyscreen option available by joining subsidiary profile.
- ▶ Resistance to high wind pressure with integrated vertical sah and interlock system.
- ▶ Compatibility of different glass thickness, SGU and DGU unit.
- ▶ Complete journey screw iess based on punching system..
- ▶ System compatible to high rise building requirements.
- ▶ Alumino is pleased to offer two tone finish for the first time in industry.



Alumino 20mm Imported Window

SIZE	MX. WINDOW SIZE	RECOMMENDED SHUTTER SIZE
2 SHUTTER SLIDING	1800 X 1800	1000 X 1800
3 SHUTTER SLIDING	2200 X 1800	1000 X 1800
4 SHUTTER SLIDING	2400 X 1800	1000 X 1800



Alumino 28mm Domal Series

SIZE	MX. WINDOW SIZE	RECOMMENDED SHUTTER SIZE
2 SHUTTER SLIDING	2000 X 2000	1000 X 2100
3 SHUTTER SLIDING	3000 X 2000	1500 X 2100
4 SHUTTER SLIDING	4000 X 2000	1500 X 2100

Alumino 30mm Imported Window

SIZE	MX. WINDOW SIZE	RECOMMENDED SHUTTER SIZE
2 SHUTTER SLIDING	1800 X 1800	1000 X 1800
3 SHUTTER SLIDING	2200 X 1800	1000 X 1800
4 SHUTTER SLIDING	2400 X 1800	1000 X 1800



GLASS OPTION : SGU 4/5/6 AND DGU 18/20/22MM





Alumino 18mm Altra Slim Exclusive Imported / Indian

SIZE	MX. WINDOW SIZE	RECOMMENDED SHUTTER SIZE
2 SHUTTER SLIDING	2000 X 3600	1000 X 3000
3 SHUTTER SLIDING	3600 X 3000	1200 X 3000
4 SHUTTER SLIDING	4000 X 3000	1200 X 3000

Alumino 30mm / 32mm Slim line Imported / Indian

SIZE	MX. WINDOW SIZE	RECOMMENDED SHUTTER SIZE
2 SHUTTER SLIDING	2000 X 3600	1000 X 3000
3 SHUTTER SLIDING	3600 X 3000	1200 X 3000
4 SHUTTER SLIDING	4000 X 3000	1200 X 3000



Alumino 38mm / 40mm Imported

SIZE	MX. WINDOW SIZE	RECOMMENDED SHUTTER SIZE
2 SHUTTER SLIDING	2000 X 3600	1000 X 3600
3 SHUTTER SLIDING	4000 X 3600	1200 X 3600
4 SHUTTER SLIDING	5000 X 3600	1500 X 3600

Also Available with Vanishing Blinds.  
Single - Multitrack Facility for Mosquito Net.

GLASS OPTION : SGU 4/5/6 AND DGU 18/20/22MM



Alumino S S Railing & ALU Railing.

Nilesh Alumino is specialized in S S and ALU glass railings to meet the need of today's modern architecture. This new railing system is totally frame less without a visual obstruction to offer crystal clear view.



GLASS OPTION : SGU 4/5/6 AND DGU 18/20/22MM